




- NOTE:
 1. 1/8" ALUMINUM BODY
 2. KUSSMAUL 019-12HO-12 AUTO CHARGE.
 3. THROTTLE CONTROL.
 4. REQUESTED HOSEBED CAPACITY=250' OF 1 3/4" & 500' OF 4" LDH.
 5. LETTERING/STRIPIING 3M SCOTCHLITE.
 6. (2) 1/2" SCOTCHLITE STRIPES TO BORDER SCOTCHLITE STRIPE.
 7. WARN 9,000# PORTABLE WINCH.



SPECIFICATIONS

CHASSIS: FORD F-550 4DR 4X4
 ENGINE: 6.0L POWERSTROKE DIESEL 325 H.P.
 TRANSMISSION: 4-SPD AUTO-ELECTRONIC
 FRONT AXLE: DANA 6,000#
 REAR AXLE: DANA MODEL 60 11,000#
 PUMP: MG-1000 1000 GPM
 WATER TANK: 250 GALLON upf poly lllE

COMPARTMENT SIZE

(A/D): 50"H X 24 3/4"W X 24"D
 (B/E): 40"H X 36 3/4"W X 24"D
 (C/F): 25"H X 44 1/2"W X 24"D

DOOR OPENING

(A/D): 51"H X 21"W
 (B/E): 41"H X 36"W
 (C/F): 23"H X 40"W

DISCHARGES

(1) 2 1/2" LEFT SIDE
 (1) 2 1/2" & (1) 3 1/2" RIGHT SIDE
 (2) 1 3/4" CROSSSLAYS
 (1) 1 1/2" REAR, LEFT SIDE

SUCTIONS

(1) 6" MAIN (EACH SIDE)
 (1) 2 1/2" AUX, RIGHT SIDE

**PLEASE REVIEW AND RETURN
 A SIGNED COPY.**

NAME: _____
 TITLE: _____
 DATE: _____

CUSTOMER PAINT CODES:
 LOWER CAB AND BODY: _____
 CAB TWO TONE: _____

THIS DRAWING IS A GENERAL CONFIGURATION AND MAY NOT NECESSARILY REFLECT ALL CONTRACTUAL REQUIREMENTS.

C	1-4-05	REVISED TO GSDH	
B	5-10-04	REVISED PROPOSAL	
A		PROPOSAL	
SYM	DATE	REVISION DESCRIPTION	APP'D

SALES ENGINEER : BRIAN CONNELLY

KOVATCH MOBILE EQUIPMENT
 ONE INDUSTRIAL COMPLEX
 NERQUEENING, PA 18240

TOLERANCE UNLESS OTHERWISE SPECIFIED FRACTIONS: ±1/8"
 DECIMALS ±.060 THREE PLACE: ±.010 REMOVE ALL ZEROS
 ONE PLACE: ±.030 ANGLES: ±2' AND SHARP CORNERS
 TWO PLACE: ±.030

CAD

DATE SCALE DRAWN BY APPROVED BY
 11-6-03 NONE JIM B.A.C.

KME COMMERCIAL 4X4

REESE & COMM. V.F.D., MD

GSO#6069

DO NOT CHANGE MANUALLY